

## UNITED STATES PATENT AND TRADEMARK OFFICE

## UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office Address: COMMISSIONER FOR PATENTS

P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

Paper No.

1095 01/14/2009 NOVARTIS CORPORATE INTELLECTUAL PROPERTY EAST HANOVER, NJ 07936-1080

ONE HEALTH PLAZA 104/3

Application No.: 10/522,421 Date Mailed: 01/14/2009 First Named Inventor: Meyer, Andreas. Examiner: THOMAS, TIMOTHY P Attorney Docket No.: PC/4-32584A Art Unit: 1614 Confirmation No.: 8057 Filing Date: 03/25/2005

Please find attached an Office communication concerning this application or proceeding.

## Notice of Non-Compliant Amendment (37 CFR 1.121) Application No. 10/522,421

plication No. /522,421	Applicant(s) MEYER ET AL.	
	Art Unit 1600	

The amendment document filed on 29 <u>December</u>, 2008 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

	quirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following m(s) is required.
TH	HE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:  1. Amendments to the specification:  A. Amended paragraph(s) do not include markings.  B. New paragraph(s) should not be underlined.  C. Other
	□ 2. Abstract: □ A. Not presented on a separate sheet. 37 CFR 1.72. □ B. Other
	□ 3. Amendments to the drawings:     □ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).     □ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.     □ C. Other
	<ul> <li>✓ 4. Amendments to the claims:</li></ul>
	☐ 5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4): For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.
	ME PERIODS FOR FILING A REPLY TO THIS NOTICE:  Applicant is given no new time period if the non-compliant amendment is an after-final amendment or an amendmen filed after allowance, or a drawing submission (only) if applicant wishes to resubmit the non-compliant after-final amendment with corrections, the entire corrected amendment must be resubmitted.
2.	Applicant is given <b>one month</b> , or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a Quayle action. If any of above boxes 1 to 4 are checked, the correction required is only the corrected section of the non-compliant amendment in compliance with 37 CFR 1.121.
	Extensions of time are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action.  Failure to timely respond to this notice will result in:  Abandonment of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a Quayle action; or Non-entry of the amendment if the non-compliant amendment is a preliminary amendment or supplemental
Le	amendment. gal Instruments Examiner (LIE), if applicable <u>/FLORENCE R. PATTERSON/</u> Telephone No: ( <u>571)272-0544</u>

<sup>--</sup> The MAILING DATE of this communication appears on the cover sheet with the correspondence address --